

Food Establishment Inspection Report

	Facility Type:	☐ Bar/Lounge	☐ Domestic Violence	☐ Intermediate Care DD	☐ PPEC														
	☐ Adult Day Care	☐ Civic	☐ Fraternal Org.	☐ Recreational Camp	☐ Short-term Res Treat														
	☐ Afterschool Meal Prog	☐ Crisis Stabilization Unit	☐ Home for Special Services	☐ Migrant Housing	☐ Residential Treatment Fac.														
	☐ Assisted Living	☐ Detention Fac.	☐ Hospice	☐ Movie Theater	☐ Transitional Living Fac														
PURPOSE: ☐ Routine ☐ Reinspection ☐ Construction ☐ Complaint ☐ Consultation ☐ Change of Ownership ☐ Epidemiology ☐ Temporary Event ☐ Other _____																			
Name of Establishment:					RESULTS:		Correct by:		Stop Sale Issued _____ _____										
					☐ Satisfactory		☐ Next Routine Inspection												
Address:					City:		☐ 8 A.M. on _____ (Date)												
					ZIP Code:		Name of Person in Charge:												
Telephone:					Person in Charge Email:														
					Date (MM/DD/YY)		Begin Time AM/PM		End Time AM/PM		Permit Number		Position Number						
FOODBORNE ILLNESS RISK FACTORS AND PUBLIC HEALTH INTERVENTIONS																			
Indicate the compliance status: Mark an "X" under the compliance status, IN=the act or item was observed to be in compliance; OUT=the act or item was observed to be out of compliance; NO=the act or item was not observed to be occurring at the time of inspection; NA=the act or item is not performed by the facility. Mark an "X" in the appropriate box for: COS=violation corrected on site; R=repeat violation from previous inspection																			
Compliance Status																			
IN OUT N/A N/O					COS	R													
Supervision																			
1	___ __				Demonstration of Knowledge/Training														
2	___ __ ____				Certified Manager/Person in Charge present														
Employee Health																			
3	___ __				Knowledge, responsibilities and reporting														
4	___ __				Proper use of restriction and exclusion														
5	___ __				Responding to vomiting & diarrheal events														
Good Hygienic Practices																			
6	___ __ ____				Proper eating, tasting, drinking, or tobacco use														
7	___ __ ____				No discharge from eyes, nose, and mouth														
Preventing Contamination by Hands																			
8	___ __ ____				Hands clean & properly washed														
9	___ __ ____				No bare hand contact with RTE food														
10	___ __				Handwashing sinks, accessible & supplies														
Approved Source																			
11	___ __				Food obtained from approved source														
12	___ __ ____				Food received at proper temperature														
13	___ __				Food in good condition, safe, & unadulterated														
14	___ __ ____				Shellstock tags & parasite destruction														
This form serves as a “Notice of Non-Compliance” pursuant to section 120.695, Florida Statutes. Items marked as "out" violate one or more of the requirements of Chapter 64E-11, the Florida Administrative Code or Chapter 381.0072, Florida Statutes. Violations must be corrected within the time period indicated above. Continued operation of this facility without making these corrections is a violation. Failure to correct violations in the time frame specified may result in enforcement action being initiated by the Department of Health.																			
GOOD RETAIL PRACTICES																			
Good Retail Practices are preventative measures to control the addition of pathogens, chemicals, and physical objects into foods.																			
IN OUT N/A N/O					COS	R													
Safe Food and Water																			
30	___ __ ____				Pasteurized eggs used where required														
31	___ __ ____				Water & ice from approved source														
32	___ __ ____				Variance obtained for special processing														
Food Temperature Control																			
33	___ __ ____				Proper cooling methods; adequate equipment														
34	___ __ ____				Plant food properly cooked for hot holding														
35	___ __ ____				Approved thawing methods														
36	___ __ ____				Thermometers provided & accurate														
Food Identification																			
37	___ __ ____				Food properly labeled; original container														
Prevention of Food Contamination																			
38	___ __ ____				Insects, rodents, & animals not present														
39	___ __ ____				No Contamination (preparation, storage, display)														
40	___ __ ____				Personal cleanliness														
41	___ __ ____				Wiping cloths: properly used & stored														
42	___ __ ____				Washing fruits & vegetables														
Person in Charge (Print & Signature)															Date:				
Inspector (Print & Signature)															Phone:				

Food Establishment Inspection Report	
---	--

Name of Establishment:

Permit Number:

Date:

TEMPERATURE OBSERVATIONS

[illegible]

OBSERVATIONS AND CORRECTIVE ACTIONS	
1	1. The first observation was that the water level in the tank was low. The corrective action was to top up the water to the correct level.
2	2. The second observation was that the water was not circulating properly. The corrective action was to check the pump and the filter.
3	3. The third observation was that the water was cloudy. The corrective action was to change the filter and the water.
4	4. The fourth observation was that the water was too warm. The corrective action was to check the heater and the thermostat.
5	5. The fifth observation was that the water was too cold. The corrective action was to check the heater and the thermostat.
6	6. The sixth observation was that the water was not clean. The corrective action was to change the filter and the water.
7	7. The seventh observation was that the water was not clear. The corrective action was to check the pump and the filter.
8	8. The eighth observation was that the water was not clear. The corrective action was to check the pump and the filter.
9	9. The ninth observation was that the water was not clear. The corrective action was to check the pump and the filter.
10	10. The tenth observation was that the water was not clear. The corrective action was to check the pump and the filter.

[illegible]

Person in Charge (Signature)

Date _____

Inspector (Signature)

Date _____