## STATE OF FLORIDA DEPARTMENT OF HEALTH COUNTY HEALTH DEPARTMENT FOOD SERVICE INSPECTION REPORT



# **Facility Information**

## **RESULT:** Satisfactory

Permit Number: 51-48-00196 Name of Facility: Northwest Elementary School Address: 14302 Cobra Way City, Zip: Hudson 34669

Type: School (9 months or less) Owner: Pasco County School Board Person In Charge: Weltz, Anthony PIC Email: aweltz@pasco.k12.fl.us

#### **Inspection Information**

Purpose: Routine Inspection Date: 3/3/2020 Correct By: None **Re-Inspection Date: None**  Number of Risk Factors (Items 1-29): 0 Number of Repeat Violations (1-57 R): 0 FacilityGrade: N/A StopSale: No Begin Time: 09:30 AM End Time: 10:15 AM

Marking Key: IN=the act or item was observed to be in compliance; OUT=the act or item was observed to be out of compliance; NO=the act or item was not observed to be occurring at the time of inspection; NA=the act or item is not performed by the facility; COS=violation corrected on site; R=repeat violation from previous inspection

# FoodBorne Illness Risk Factors And Public Health Interventions

#### SUPERVISION

- IN 1. Demonstration of Knowledge/Training
- N 2. Certified Manager/Person in charge present EMPLOYEE HEALTH
- IN 3. Knowledge, responsibilities and reporting
- IN 4. Proper use of restriction and exclusion
- N 5. Responding to vomiting & diarrheal events GOOD HYGIENIC PRACTICES
- IN 6. Proper eating, tasting, drinking, or tobacco use
- No discharge from eyes, nose, and mouth PREVENTING CONTAMINATION BY HANDS
- IN 8. Hands clean & properly washed IN 9. No bare hand contact with RTE food
- 10. Handwashing sinks, accessible & supplies
  APPROVED SOURCE
- IN 11. Food obtained from approved source
- IN 12. Food received at proper temperature
- IN 13. Food in good condition, safe, & unadulterated
- NA 14. Shellstock tags & parasite destruction

#### PROTECTION FROM CONTAMINATION

IN 15. Food separated & protected; Single-use gloves

- IN 16. Food-contact surfaces; cleaned & sanitized
- NO 17. Proper disposal of unsafe food TIME/TEMPERATURE CONTROL FOR SAFETY
- IN 18. Cooking time & temperatures
- IN 19. Reheating procedures for hot holding
- IN 20. Cooling time and temperature
- IN 21. Hot holding temperatures
- IN 22. Cold holding temperatures
- IN 23. Date marking and disposition
- NA 24. Time as PHČ; procedures & records CONSUMER ADVISORY
- NA 25. Advisory for raw/undercooked food HIGHLY SUSCEPTIBLE POPULATIONS
- IN 26. Pasteurized foods used; No prohibited foods ADDITIVES AND TOXIC SUBSTANCES
- NA 27. Food additives: approved & properly used
- No. 28. Toxic substances identified, stored, & used APPROVED PROCEDURES
- NA 29. Variance/specialized process/HACCP

nspector Signature:				Client Signature:
Missorbehasco				Anter .
Form Number: DH 4023	03/18	51-48-00196	Northwest Elementary	School

## STATE OF FLORIDA DEPARTMENT OF HEALTH COUNTY HEALTH DEPARTMENT FOOD SERVICE INSPECTION REPORT



# **Good Retail Practices**

#### SAFE FOOD AND WATER

- IN 30. Pasteurized eggs used where required
- IN 31. Water & ice from approved source
- NA 32. Variance obtained for special processing
- FOOD TEMPERATURE CONTROL
- IN 33. Proper cooling methods; adequate equipment
- IN 34. Plant food properly cooked for hot holding
- IN 35. Approved thawing methods
- IN 36. Thermometers provided & accurate FOOD IDENTIFICATION
- N 37. Food properly labeled; original container **PREVENTION OF FOOD CONTAMINATION**
- IN 38. Insects, rodents, & animals not present
- **IN** 39. No Contamination (preparation, storage, display)
- IN 40. Personal cleanliness
- IN 41. Wiping cloths: properly used & stored
- IN 42. Washing fruits & vegetables
  - PROPER USE OF UTENSILS
- IN 43. In-use utensils: properly stored
- IN 44. Equipment & linens: stored, dried, & handled
- N 45. Single-use/single-service articles: stored & used

- NA 46. Slash resistant/cloth gloves used properly UTENSILS, EQUIPMENT AND VENDING
- IN 47. Food & non-food contact surfaces
- IN 48. Ware washing: installed, maintained, & used; test strips
- IN 49. Non-food contact surfaces clean
- PHYSICAL FACILITIES
- IN 50. Hot & cold water available; adequate pressure
- IN 51. Plumbing installed; proper backflow devices
- IN 52. Sewage & waste water properly disposed
- N 53. Toilet facilities: supplied, & cleaned

IN 57. Permit; Fees; Application; Plans

IN 54. Garbage & refuse disposal IN 55. Facilities installed, maintained, & clean

N 56. Ventilation & lighting

This form serves as a "Notice of Non-Compliance" pursuant to section 120.695, Florida Statutes. Items marked as "out" violate one or more of the requirements of Chapter 64E-11, the Florida Administrative Code or Chapter 381.0072, Florida Statutes. Violations must be corrected within the time period indicated above. Continued operation of this facility without making these corrections is a violation. Failure to correct violations in the time frame specified may result in enforcement action being initiated by the Department of Health.

## **Violations Comments**

No Violation Comments Available

#### **General Comments**

NO VIOLATIONS OBSERVED AT TIME OF INSPECTION

Notes- HWS: 103F, 2D RIC: Tuna 41F, Milk Cooler: Milk 40F, WIC: Milk 37F, X2 Hold Holding Units: Ambient 180-200F & Apple Crisp 145F, Showcase Cooler: Dressing 38F, 2D RIC: Chicken40F, Ice Machine: Ok, Dry Storage: Ok, Mop Sink /Laundry Area: Ok, Bathroom / Locker Room: Ok, Quat Test Strips: Ok, 2CS, 3CS: Quat 300ppm, Sani Buckets: 200ppm, FMC: Anthony Weltz Cert # Cert#15779716 Expires: 11/2022.

Email Address(es): spawelek@pasco.k12.fl.us; nreynold@pasco.k12.fl.us; aweltz@pasco.k12.fl.us; kkimble@pasco.k12.fl.us; sawood@pasco.k12.fl.us; fnshelp@pasco.k12.fl.us;

**Inspector Signature:** 

**Client Signature:** 

With Schemers DH 4023 03/18

51-48-00196 Northwest Elementary School

## STATE OF FLORIDA DEPARTMENT OF HEALTH COUNTY HEALTH DEPARTMENT FOOD SERVICE INSPECTION REPORT



Inspection Conducted By: Alissa Belasco (61970) Inspector Contact Number: Work: (727) 841-4425 ex. Print Client Name: Date: 3/3/2020

Inspector Signature:

aissaberasco

**Client Signature:** 

dut , .

Form Number: DH 4023 03/18

51-48-00196 Northwest Elementary School