# STATE OF FLORIDA DEPARTMENT OF HEALTH **COUNTY HEALTH DEPARTMENT FOOD SERVICE INSPECTION REPORT**



**RESULT:** Satisfactory **Facility Information** 

Permit Number: 51-48-00387

Name of Facility: Chester W. Taylor Elementary School

Address: 3638 Morris Bridge Road

City, Zip: Zephyrhills 33541

Type: School (9 months or less) Owner: Pasco County School Board

Person In Charge: Browning, Lisa Phone: (813) 794-6900

PIC Email: lbrowning@pasco.k12.fl.us

**Inspection Information** 

Purpose: Routine Number of Risk Factors (Items 1-29): 0 Begin Time: 11:15 AM Inspection Date: 3/31/2020 Number of Repeat Violations (1-57 R): 0 End Time: 11:45 AM

Correct By: None FacilityGrade: N/A Re-Inspection Date: None StopSale: No

Marking Key: IN=the act or item was observed to be in compliance; OUT=the act or item was observed to be out of compliance; NO=the act or item was not observed to be occurring at the time of inspection; NA=the act or item is not performed by the facility; COS=violation corrected on site; R=repeat violation from previous inspection

# **FoodBorne Illness Risk Factors And Public Health Interventions**

# SUPERVISION

- IN 1. Demonstration of Knowledge/Training
- N 2. Certified Manager/Person in charge present **EMPLOYEE HEALTH**
- IN 3. Knowledge, responsibilities and reporting
- N 4. Proper use of restriction and exclusion
- IN 5. Responding to vomiting & diarrheal events GOOD HYGIENIC PRACTICES
- IN 6. Proper eating, tasting, drinking, or tobacco use
- N 7. No discharge from eyes, nose, and mouth PREVENTING CONTAMINATION BY HANDS
- IN 8. Hands clean & properly washed No bare hand contact with RTE food
- IN 10. Handwashing sinks, accessible & supplies APPROVED SOURCE
- IN 11. Food obtained from approved source
- NO 12. Food received at proper temperature
- IN 13. Food in good condition, safe, & unadulterated
- 14. Shellstock tags & parasite destruction PROTECTION FROM CONTAMINATION
- IN 15. Food separated & protected; Single-use gloves

- IN 16. Food-contact surfaces; cleaned & sanitized
- NO 17. Proper disposal of unsafe food

# TIME/TEMPERATURE CONTROL FOR SAFETY

- NO 18. Cooking time & temperatures
- NO 19. Reheating procedures for hot holding
- NO 20. Cooling time and temperature
- NO 21. Hot holding temperatures
- N 22. Cold holding temperatures
- IN 23. Date marking and disposition
- NA 24. Time as PHC; procedures & records

# CONSUMER ADVISORY

NA 25. Advisory for raw/undercooked food

# HIGHLY SUSCEPTIBLE POPULATIONS

- IN 26. Pasteurized foods used; No prohibited foods
  - ADDITIVES AND TOXIC SUBSTANCES
- NA 27. Food additives: approved & properly used
- 28. Toxic substances identified, stored, & used
  - APPROVED PROCEDURES
- NA 29. Variance/specialized process/HACCP

**Inspector Signature:** 

Derent

**Client Signature:** 

Form Number: DH 4023 03/18 51-48-00387 Chester W. Taylor Elementary School

1 of 3

# STATE OF FLORIDA DEPARTMENT OF HEALTH COUNTY HEALTH DEPARTMENT FOOD SERVICE INSPECTION REPORT



# **Good Retail Practices**

#### SAFE FOOD AND WATER

- IN 30. Pasteurized eggs used where required
- IN 31. Water & ice from approved source
- NA 32. Variance obtained for special processing

#### FOOD TEMPERATURE CONTROL

- **IN** 33. Proper cooling methods; adequate equipment
- NO 34. Plant food properly cooked for hot holding
- N 35. Approved thawing methods
- **IN** 36. Thermometers provided & accurate

#### FOOD IDENTIFICATION

IN 37. Food properly labeled; original container

#### PREVENTION OF FOOD CONTAMINATION

- IN 38. Insects, rodents, & animals not present
- **IN** 39. No Contamination (preparation, storage, display)
- IN 40. Personal cleanliness
- IN 41. Wiping cloths: properly used & stored
- NO 42. Washing fruits & vegetables

## PROPER USE OF UTENSILS

- N 43. In-use utensils: properly stored
- N 44. Equipment & linens: stored, dried, & handled
- N 45. Single-use/single-service articles: stored & used

IN 46. Slash resistant/cloth gloves used properly

## UTENSILS, EQUIPMENT AND VENDING

- IN 47. Food & non-food contact surfaces
- IN 48. Ware washing: installed, maintained, & used; test strips
- Non-food contact surfaces clean

## PHYSICAL FACILITIES

- IN 50. Hot & cold water available; adequate pressure
- N 51. Plumbing installed; proper backflow devices
- IN 52. Sewage & waste water properly disposed
- IN 53. Toilet facilities: supplied, & cleaned
- N 54. Garbage & refuse disposal
- IN 55. Facilities installed, maintained, & clean
- IN 56. Ventilation & lightingIN 57. Permit; Fees; Application; Plans

This form serves as a "Notice of Non-Compliance" pursuant to section 120.695, Florida Statutes. Items marked as "out" violate one or more of the requirements of Chapter 64E-11, the Florida Administrative Code or Chapter 381.0072, Florida Statutes. Violations must be corrected within the time period indicated above. Continued operation of this facility without making these corrections is a violation. Failure to correct violations in the time frame specified may result in enforcement action being initiated by the Department of Health.

# **Violations Comments**

No Violation Comments Available

**Inspector Signature:** 

Soprent

Form Number: DH 4023 03/18 51-48-00387 Chester W. Taylor Elementary School

Client Signature:

# STATE OF FLORIDA DEPARTMENT OF HEALTH COUNTY HEALTH DEPARTMENT FOOD SERVICE INSPECTION REPORT



# **General Comments**

Satisfactory at time of inspection.

\*This inspection occurred during the COVID-19 school closure. This school is providing prepackaged meals to kids in the community via drive-up. The school itself is closed and the kitchen is not preparing typical hot meals. Instead, they are packaging 5 breakfast and 5 lunch meals to distribute to children. This meal pickup will occur only on Tuesday of each week while school remains closed due to COVID-19.\*

All RIC/RIF and WIC/WIF at proper temps. Sanitizer 300 ppm- 3 CS, 200 ppm- Buckets.

Observed temps: Milk/WIC: 34-39F Cheese/WIC: 34F

Email Address(es): lbrowning@pasco.k12.fl.us;

sawood@pasco.k12.fl.us; spawelek@pasco.k12.fl.us; kkimble@pasco.k12.fl.us; fnshelp@pasco.k12.fl.us

Inspection Conducted By: Alicia Steiert (85862)

Inspector Contact Number: Work: (352) 521-1450 ex. 6164

Print Client Name: Date: 3/31/2020

**Inspector Signature:** 

Soprent.

**Client Signature:** 

Form Number: DH 4023 03/18 51-48-00387 Chester W. Taylor Elementary School